

Safety Data Sheet



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **COPPER SULPHATE PENTAHYDRATE**

Other name(s): Copper sulphate, Copper sulfate pentahydrate, Cupric sulphate pentahydrate, Blue vitriol, Blue copperas, Bluestone.

Recommended Use of the Chemical and Restrictions on Use General chemical.

Supplier: Lapis Kimya San. ve Tic. A.S.

Street Address: Esentepe Mh. Cevizli D100 Güney Yan Yol Cd.
Lapis Han No:25 K:3 Ofis No:95 34870 Kartal, İstanbul , TÜRKİYE

Telephone Number: +90 216 599 01 20

Emergency Telephone: **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Classification of the chemical:

Acute Oral Toxicity - Category 4
Skin Irritation - Category 2
Eye Irritation - Category 2A
Acute Aquatic Toxicity - Category 1
Chronic Aquatic Toxicity - Category 1

SIGNAL WORD: WARNING



Hazard Statement(s):

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention:

P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
P280 Wear protective gloves / protective clothing / eye protection / face protection.

Product Name: COPPER SULPHATE PENTAHYDRATE
Substance No: 000031007601

Issued: 13/10/2017
Version: 7



Safety Data Sheet

Response:

P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see First Aid Measures on Safety Data Sheet).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P391 Collect spillage.

Storage:

No storage statements.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national, international regulations.

Poisons Schedule (SUSMP): S6 Poison.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Hazard Codes
Copper sulfate pentahydrate	7758-99-8	95-99%	H302, H315, H319, H400, H410

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye Contact:

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes.

Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Never give anything by the mouth to an unconscious patient. Seek immediate medical assistance.

Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Product Name: COPPER SULPHATE PENTAHYDRATE

Substance No: 000031007601

Issued: 13/10/2017

Version: 7



Safety Data Sheet

Suitable Extinguishing Media:

Not combustible, however, if material is involved in a fire use: Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

Hazchem or Emergency Action Code: 2Z

Specific hazards arising from the chemical:

Non-combustible material. Environmentally hazardous.

Special protective equipment and precautions for fire-fighters:

Decomposes on heating emitting toxic fumes, including those of oxides of copper, and oxides of sulfur. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures/Environmental precautions:

Clear area of all unprotected personnel. Do not allow container or product to get into drains, sewers, streams or ponds. If contamination of sewers or waterways has occurred advise local emergency services.

Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Avoid breathing in dust. Work up wind or increase ventilation. Collect and seal in properly labelled containers or drums for disposal.

7. HANDLING AND STORAGE

This material is a Scheduled Poison S6 and must be stored, maintained and used in accordance with the relevant regulations.

Precautions for safe handling:

Avoid skin and eye contact and breathing in dust. Keep out of reach of children. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place. Store under inert gas. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for spills.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters: No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Copper dusts & mists (as Cu): 8hr TWA = 1 mg/m³

Copper (fume): 8hr TWA = 0.2 mg/m³



Safety Data Sheet

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Workplace Exposure Standards. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Wear overalls, chemical goggles and impervious gloves. Avoid generating and inhaling dusts. If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Crystalline Solid
Colour:	Blue
Odour:	Odourless
Molecular Formula:	CuSO ₄ .5H ₂ O
Solubility:	Soluble in water.
Specific Gravity:	2.28
Relative Vapour Density (air=1):	Not available
Vapour Pressure (20 °C):	<9.7 hPa
Flash Point (°C):	Not applicable
Flammability Limits (%):	Not applicable
Autoignition Temperature (°C):	Not applicable
Melting Point/Range (°C):	110
Decomposition Point (°C):	110

Product Name: COPPER SULPHATE PENTAHYDRATE
Substance No: 000031007601

Issued: 13/10/2017
Version: 7



Safety Data Sheet

pH: 3.7-4.5 (50 g/L, 25°C)

10. STABILITY AND REACTIVITY

Reactivity:	Slowly effloresces in air.
Chemical stability:	Stable under normal conditions of use.
Possibility of hazardous reactions:	Hazardous polymerisation will not occur.
Conditions to avoid:	Avoid dust generation.
Incompatible materials:	Incompatible with nitromethane , finely powdered metals , steel , hydrazine , hydroxylamine , magnesium , air .
Hazardous decomposition products:	Oxides of copper. Oxides of sulfur.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	Swallowing can result in nausea, vomiting, diarrhoea, and gastrointestinal irritation.
Eye contact:	An eye irritant.
Skin contact:	Contact with skin will result in irritation. May cause skin sensitisation in sensitive individuals. Repeated or prolonged skin contact may lead to allergic contact dermatitis.
Inhalation:	Breathing in dust may result in respiratory irritation. Breathing in fumes from heating may produce symptoms of 'metal fume fever'. This condition is characterised by influenza type symptoms occurring a few hours after exposure and lasting up to 48 hours. Symptoms may include chills, fever, headache, tightness of the chest, coughing, weakness, dryness of nose and mouth, muscular pain, nausea, and vomiting.

Acute toxicity:
Oral LD50 (rat): 482 mg/kg (anhydrous)
Dermal LD50 (rat): >2000 mg/kg (anhydrous)

Chronic effects: Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).

12. ECOLOGICAL INFORMATION

Ecotoxicity	Avoid contaminating waterways.
Aquatic toxicity:	Very toxic to aquatic organisms. May cause long lasting harmful effects to aquatic life.
48hr EC50 (Daphnia magna):	0.024 mg/L

Product Name: COPPER SULPHATE PENTAHYDRATE
Substance No: 000031007601

Issued: 13/10/2017
Version: 7



Safety Data Sheet

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

14. TRANSPORT INFORMATION

Road and Rail Transport

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.



UN No: 3077
Transport Hazard Class: 9 Miscellaneous Dangerous Goods
Packing Group: III
Proper Shipping Name or Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER SULPHATE PENTAHYDRATE)
Hazchem or Emergency Action Code: 2Z

Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN No: 3077
Transport Hazard Class: 9 Miscellaneous Dangerous Goods
Packing Group: III
Proper Shipping Name or Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER SULPHATE PENTAHYDRATE)

IMDG EMS Fire: F-A
IMDG EMS Spill: S-F

Marine Pollutant Yes

Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN No: 3077
Transport Hazard Class: 9 Miscellaneous Dangerous Goods
Packing Group: III
Proper Shipping Name or Technical Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (COPPER SULPHATE PENTAHYDRATE)

15. REGULATORY INFORMATION

Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Product Name: COPPER SULPHATE PENTAHYDRATE
Substance No: 000031007601

Issued: 13/10/2017
Version: 7



Safety Data Sheet

Classification of the chemical:

Acute Oral Toxicity - Category 4
Skin Irritation - Category 2
Eye Irritation - Category 2A
Acute Aquatic Toxicity - Category 1
Chronic Aquatic Toxicity - Category 1

Hazard Statement(s):

H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H410 Very toxic to aquatic life with long lasting effects.

Poisons Schedule (SUSMP): S6 Poison.

This material is listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Supplier Safety Data Sheet; 09/ 2017.

This safety data sheet has been prepared by Lapis Kimya Toxicology & SDS Services.

Reason(s) for Issue:

5 Yearly Revised Primary SDS
Change in Handling & Storage Requirements
Change in Physical Properties

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Lapis Kimya cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Lapis Kimya Operations at the contact details on page 1.

Lapis Kimya's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.